

OECD approval number 2/1 769
Restricted Code
OECD approval date 24/08/1998
Make John Deere
Model 9400


Articulated 4 WD with dual wheels

Syncro - 12 speeds John Deere Tractor Works

Manufacturer Testing station:

Type

Nebraska Tractor Test Laboratory, Lincoln, USA





Engine, Transmission, Power take-off Sp Make, Model Type, Supercharging Cylinders, Disposition Capacity, Cooling Gear box Number of forward and reverse speeds Speed at rated engine speed Standard Power take-off speed Power take-off speed at rated engine speed Diameter of the shaft Number of splines	John Deere Direct injection 6 12535 cm <sup>3</sup>	12 from 3.36 540 min <sup>-1</sup>	6125HRW02 Yes vertical in line Liquid Mechanical 3 to 29.66 km/h 1000 min <sup>-1</sup> 1108 min <sup>-1</sup> 44.5 mm 20
Power take-off Test  Two hours test at maximum power  Power, Engine and Power take-off speed	256.1 kW	1900 min <sup>-1</sup>	1003 min <sup>-1</sup>
Hourly and specific consumption  Test at maximum power at rated engine spe	and	68.23 l/h	224 g/kWh
Power, Engine and Power take-off speed Hourly and specific consumption Test at standard Power take-off speed	232.9 kW	2100 min <sup>-1</sup> 65.11 l/h	1108 min <sup>-1</sup> 235 g/kWh
Power, Engine and Power take-off speed Hourly and specific consumption Torque rise	256.1 kW	1900 min <sup>-1</sup> 68.23 l/h	1003 min <sup>-1</sup> 224 g/kWh 48.7 %
Maximum torque, Engine speed correspond	ling	1575.0 Nm	1101 min <sup>-1</sup>
Prawbar Test Front tyres, Rear tyres Test with tractor Total Mass Maximum drawbar pull at speed of Maximum power at speed of		620/70 R 42 <u>unballasted</u> 16894 kg 1706.0 kN 4.00 km/h 276.4 kW 8.88 km/h	620/70 R 42 <u>ballasted</u> 18729 kg 181.3 kN 3.97 km/h 279.0 kW 8.08 km/h
Hydraulic Performance and Power Lift Thydraulic system	Гest		Closed centre
At maximum hydraulic power Flow rate, Pressure, Power Maximum lifting force	152.2 l/min	17.6 MPa	44.6 kW
at hitch points, at frame		62.2 kN	58.3 kN

