

# OECD ABSTRACT OF AGRICULTURAL AND FORESTRY TRACTOR PERFORMANCE TEST

---

<b>OECD Approval Number</b>	<b>2/2 966</b>
<b>OECD Approval Date</b>	<b>22/07/2016</b>
<b>Make</b>	<b>NEW HOLLAND</b>
<b>Model</b>	<b>T7.190 AC</b>
<b>Type</b>	<b>4 WD</b>
<b>Transmission</b>	Continuously variable transmission
<b>Speed</b>	40 km/h
<b>Manufacturer</b>	CNH Industrial Europe Holding S.A.
<b>Testing Station</b>	BLT – Austria



## SPECIFICATIONS

### ENGINE

<i>Make</i>	FTP Industrial
<i>Model</i>	F4DFE613M*B
<i>Type</i>	Direct injection
<i>Supercharging</i>	Yes
<i>Cylinders</i>	6
<i>Disposition</i>	vertical in line
<i>Capacity</i>	6728 cm <sup>3</sup>
<i>Cooling</i>	Liquid

### TRANSMISSION

<i>Gear box</i>		CVT
<i>Number of forward and reverse speeds</i>	2	1
<i>Speed at rated engine speed</i>	from 0	to 37,80 km/h

### POWER TAKE-OFF SPECIFICATIONS

<i>Standard Power take-off speed</i>	<u>540 min<sup>-1</sup></u>	<u>1000 min<sup>-1</sup></u>
<i>Power take-off speed at rated engine speed</i>	603 min <sup>-1</sup>	1141 min <sup>-1</sup>
<i>Diameter of the shaft</i>	35 mm	35 mm
<i>Number of splines</i>	6	21

## PTO TEST RESULTS

### One hour test at maximum power

Power, Engine and Power take-off speed	105,0 kW	1800 min <sup>-1</sup>	933 min <sup>-1</sup>
Hourly and specific consumption		29,40 l/h	231 g/kWh
Hourly and specific urea consumption		2,08 l/h	21,3 g/kWh

### Test at maximum power at rated engine speed

Power, Engine and Power take-off speed	88,2 kW	2200 min <sup>-1</sup>	1140 min <sup>-1</sup>
Hourly and specific consumption		28,29 l/h	264 g/kWh
Hourly and specific urea consumption		1,89 l/h	23,0 g/kWh

### Test at standard Power take-off speed


Power, Engine and Power take-off speed	101,2 kW	1930 min <sup>-1</sup>	1000 min <sup>-1</sup>
Hourly and specific consumption		29,35 l/h	239 g/kWh
Hourly and specific urea consumption		2,09 l/h	22,2 g/kWh

### Torque rise

		58,1 %
--	--	--------

### Maximum torque, Engine speed corresponding

603,6 Nm	1500 min <sup>-1</sup>
----------	------------------------



## POWERBOOST - PTO TEST RESULTS

### One hour test at maximum power

Power, Engine and Power take-off speed

- - -

Hourly and specific consumption

- - -

Hourly and specific urea consumption

- - -

### Test at maximum power at rated engine speed

Power, Engine and Power take-off speed

105,1 kW

2200 min<sup>-1</sup>1140 min<sup>-1</sup>

Hourly and specific consumption

33,08 l/h

259 g/kWh

Hourly and specific urea consumption

2,19 l/h

22,5 g/kWh

### Test at standard Power take-off speed

Power, Engine and Power take-off speed

119,5 kW

1930 min<sup>-1</sup>1000 min<sup>-1</sup>

Hourly and specific consumption

33,77 l/h

233 g/kWh

Hourly and specific urea consumption

2,42 l/h


21,8 g/kWh

### Torque rise

51,8 %

### Maximum torque, Engine speed corresponding

692,7 Nm

1500 min<sup>-1</sup>

---

## PARTICULATE FILTER ACTIVE REGENERATION FUEL USE

---

*Not available*

---

## HYDRAULIC PERFORMANCE AND POWER LIFT TEST

---

Hydraulic system

closed centre

Relief valve pressure setting (tolerance):

21,0 ± 0,5 MPa

---

### HYDRAULIC PERFORMANCES

---

#### At maximum hydraulic power

Flow rate, Pressure, Power (couplers: 1 pair)	93,2 l/min	17,0 MPa	26,4 kW
Flow rate, Pressure, Power (couplers: 2 pairs or +)	111,7 l/min	18,0 MPa	33,5 kW

---

### POWER LIFT

---

#### Maximum lifting force

at the hitch points

49,7 kN

at the frame

36,6 kN




DRAWBAR TEST

Front tyres, Rear tyres	420/85 R 28	520/85 R 38
Inflation pressure	110 kPa	110 kPa

UNBALLASTED

Total Mass	7105 kg
Maximum drawbar pull	69,11 kN
at speed of	2,18 km/h
Maximum power	97,76 kW
at speed of	6,23 km/h



BALLASTED

Not available